
Tim Winner

Allen County, Ohio, 55 AC +/-







| Boundary 57.55 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|--------------|-------|-------|-------|------|
| Gwe5B2 | Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded | 15.12 | 26.27 | 0 | 56 | 2e |
| Ble1B1 | Blount silt loam, end moraine, 2 to 4 percent slopes | 10.24 | 17.79 | 0 | 67 | 2e |
| Gwd5C2 | Glynwood clay loam, 6 to 12 percent slopes, eroded | 6.84 | 11.88 | 63 | 56 | 4e |
| ShA | Shoals silt loam, 0 to 2 percent slopes, occasionally flooded | 6.38 | 11.08 | 0 | 74 | 2w |
| SbA | Saranac silty clay loam, 0 to 2 percent slopes, frequently flooded | 4.41 | 7.66 | 0 | 84 | 3w |
| MbA | Medway silt loam, 0 to 2 percent slopes, occasionally flooded | 4.03 | 7.0 | 74 | 86 | 2w |
| Ble1A1 | Blount silt loam, end moraine, 0 to 2 percent slopes | 3.59 | 6.24 | 0 | 69 | 2w |
| Gwe1B1 | Glynwood silt loam, end moraine, 2 to 6 percent slopes | 2.5 | 4.34 | 0 | 66 | 2e |
| SfB | Shawtown loam, 2 to 6 percent slopes | 2.31 | 4.01 | 66 | 74 | 2e |
| LbF | Lybrand silt loam, 20 to 55 percent slopes | 1.78 | 3.09 | 0 | 15 | 7e |
| KnA | Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded | 0.26 | 0.45 | 67 | 85 | 2w |
| Gwg5C2 | Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded | 0.09 | 0.16 | 65 | 56 | 3e |
| TOTALS | | 57.55(*) | 100% | 15.72 | 65.02 | 2.47 |

^(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | • | • | • | • | • | • | • | • |
| Forestry | • | • | • | • | • | • | • | |
| Limited | • | • | • | • | • | • | • | |
| Moderate | • | • | • | • | • | • | | |
| Intense | • | • | • | • | • | | | |
| Limited | • | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | • | • | | | | | | |
| Very Intense | • | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$ soil limitations within the rooting zone $\left(w\right)$ excess of water